



Maintaining Balance: Blood Progenitor Cells Receive Signals from Niche Cells and the Daughter Blood Cells They Create

ScienceDaily (Jan. 9, 2012) — Maintaining balance is crucial. In *Drosophila*, the common fruit fly, the creation and maintenance of the blood supply requires such balance.

Share This:

Like 1

Tweet 1

0

3

See Also:

Health & Medicine

- Stem Cells
- Immune System
- Lymphoma

Plants & Animals

- Biology
- Genetics
- Biotechnology

Reference

- Embryonic stem cell
- Natural killer cell
- Somatic cell
- T cell

UCLA stem cell scientists have now uncovered that two-way signaling from two different sets of cells is necessary for that balance, both to ensure enough blood cells are made to respond to injury and infection and that the blood progenitor cell population remains available for future needs.

The stem cell-like blood progenitor cells — which contribute to the cells of the adult fruit fly's blood supply — receive signals from cells that live in a nearby safe zone, or niche. These signals keep the progenitors in the same stem cell-like state so, when needed, they can begin differentiating into blood cells.

And in a new discovery, the UCLA stem cell scientists found that the blood progenitor cells receive critical signals back from the daughter blood cells they create, telling the progenitor cells when enough blood cells have been made and it's time to stop differentiating.

The new discovery of the "back talk" from the daughter blood cells appears Dec. 23, 2011 in the peer-reviewed journal *Cell*.

"The cells in the niche provide a safe environment to support blood progenitor cells," said study co-senior author Dr. Julian A. Martinez-Agosto, an assistant professor of human genetics and pediatrics and a researcher with the Eli and Edythe Broad Center of Regenerative Medicine and Stem Cell Research at UCLA. "When the blood progenitor cells receive signals from the niche cells it creates an environment for those cells to maintain their potential and not differentiate."

Previous studies have shown that when you remove the niche cells, the blood progenitor cells differentiate unchecked. Ultimately, the fruit fly runs out of blood progenitor cells and is not able to make new blood cells to mount an immune response to infection or injury, Martinez-Agosto said.

The new findings by Martinez-Agosto and study co-senior author Utpal Banerjee, a Broad center researcher and the Irving and Jean Stone Professor and chairman of molecular, cell and developmental biology in Life Sciences, identified additional signals not coming from the niche cells. The new signals were coming from the daughter blood cells the progenitors were making, a surprising discovery, Banerjee said.

Martinez-Agosto and Banerjee noted in the four-year study that once the progenitors cells had begun differentiating and the blood cells they were creating became mature, the progenitors became very quiescent, or quiet, and did not multiply. They theorized that there must be a signal coming from the daughter cells that told the progenitors to stop multiplying and differentiating.

"It was a very surprising finding, because there was no reason to suspect that the differentiating cells had any role at all in the process," Banerjee said. "It's always been the paradigm in stem cell biology that all that was needed was the signaling from the niche cells to maintain the progenitor population. Now, we've shown that you also need the signals from the daughter cells to help maintain the progenitor cell population."

The signaling from the niche cells that maintains the progenitor

Ads by Google

Stem Cell Transplants — Most Experience, Best Outcomes Fred Hutchinson Cancer Research Ctr ... > SeattleCCA.org/StemCellTransplant

B-Cell Research — Discover developments in b-cell malignancy & educational resources. ... > www.BioOncology.com

Non-Hodgkin's Lymphoma — Learn about leading-edge treatments for Non-Hodgkin's Lymphoma today. ... > cancercenter.com

Adult Stem Cell Therapy — Adult Stem Cell Treatment in Mexico Top hospital, specialist surgeons ... > HealthTravelGuides.com/Stem-Cells

Porsche Official Site® — The New Cayenne Diesel: Different Fuel, Same Spirit. Learn More Now! ... > Porsche.com/CayenneDiesel

Related Stories

Tumor Suppressor Genes Vital to Regulating Blood Precursor Cells in Fruit Flies (Sep. 5, 2012) — Stem cell scientists have shown that two common tumor suppressor genes, TSC and PTEN, are vital to regulating the stem cell-like precursor cells that create the blood supply in *Drosophila*, the common ... > [read more](#)

Scientists Find Insulin, Nutrition Prevent Blood Stem Cell Differentiation in Fruit Flies (Mar. 11, 2012) — Stem cell researchers have shown that insulin and nutrition keep blood stem cells from differentiating into mature blood cells in *Drosophila*, the common fruit ... > [read more](#)

Cell and Signaling Pathway That Regulates the Placental Blood Stem Cell Niche Identified (Mar. 1, 2012) — Stem cell researchers have discovered a critical placental niche cell and signaling pathway that prevent blood precursors from premature differentiation in the placenta, a process necessary for ... > [read more](#)

Surprise Finding Redraws 'Map' of Blood Cell Production (Jan. 30, 2012) — A study of the cells that respond to crises in the blood system has yielded a few surprises, redrawing the 'map' of how blood cells are made in the body. The finding could have wide-ranging ... > [read more](#)

Novel Theory for Mammalian Stem Cell Regulation (Feb. 8, 2010) — Researchers propose a model of mammalian adult stem cell regulation that may explain how the coexistence of two disparate stem cell states regulates both stem cell maintenance and simultaneously ... > [read more](#)

Uncovering The Secret Ways Of HIV: The HIV Protein Nef Impairs Blood Cell Development (Apr. 22, 2008) — The generation and function of all types of blood cell are impaired in individuals infected with HIV. HIV is thought to cause this problem by disrupting the function of cells that are the precursors ... > [read more](#)

Stem Cells And Cancer: Scientists Investigate A Fine Balancing Act (Apr. 14, 2008) — The mechanisms normally involved in balancing different functions of stem cells may also contribute to cancer. Scientists are delving into these mechanisms to understand how stem cells are normally ... > [read more](#)

Just In:

Baboon Personality Linked to Social Success

► [more breaking science news](#)

Social Networks

Recommend ScienceDaily on Facebook, Twitter, and Google +1:

Like Send 38,270 people like this.
 Tweet 16.2K Follow 43.1K followers

+3320 Recommend this on Google

Other bookmarking and sharing tools:

44.4K

Have Prostate Cancer?

Before getting treated, get a qualified second opinion. ResearchProstateCancer.com

B-Cell Malignancies

Get info on research advances in prognostics and targeted pathways. www.BioOncology.com

Treating MCL

Diagnosed w/ mantle cell lymphoma? Learn about treatment options here. www.MantleCellLymphoma.com

AdChoices

Breaking News ... from NewsDaily.com

Genetically engineered cow makes anti-allergy milk



Amsterdam goes green with electric scooter taxis

UK plan to merge Antarctic, ocean research stirs science row

Mars rover finds first evidence of water: a river of it New "extreme" Hubble shows deepest view yet of night sky

Florida wants NASA land to develop commercial spaceport

Boost for carbon capture from new non-toxic absorber

GE plans medical technology acquisitions in Germany

[more science news](#)

population is called Hedgehog. In this study, the scientists showed that the daughter cells are sending back a signal to the progenitors that is mediated by Adenosine deaminase growth factor A (Adgf-A). The signal regulates extracellular levels of adenosine, which opposes or counters the effects of Hedgehog signaling.

"We've shown that adenosine as a molecule is really important for regulating the proliferation of progenitor cells in blood. And it requires a delicate balance -- just enough signaling to give you more blood cells, but not so much that all the progenitor cells are lost," Martinez-Agosto said. "Maybe other progenitors or stem cells are using the same signaling to determine when to differentiate or not."

The team used the fruit fly because it is a very accessible model organism in which genes can be easily manipulated and their effects on cells monitored, Martinez-Agosto said. They dissected the fly lymph gland, where blood cells are made, and used green fluorescence to label progenitors and their daughter cells to determine when they were differentiating.

Going forward, the team will try to understand if the progenitor cells can sense the adenosine in their microenvironment under stress and injury conditions and how cell division biologically counters the niche signaling to promote formation of blood cells.

The study was funded in part by the National Heart, Lung and Blood Institute.

"Our findings reveal signals arising from differentiating cells that are required for maintaining progenitor cell quiescence and that function with the niche-derived signal in maintaining the progenitor state," the study states. "Similar homeostatic mechanisms are likely to be utilized in other systems that maintain relatively large numbers of progenitors that are not all in direct contact with the cells of the niche."

Share this story on **Facebook**, **Twitter**, and **Google**:

Like 1 Tweet 1 0

Other social bookmarking and sharing tools:

| 3

Story Source:

The above story is reprinted from materials provided by University of California - Los Angeles Health Sciences, via Newswise.

Note: Materials may be edited for content and length. For further information, please contact the source cited above.

Journal Reference:

1. Bama Charan Mondal, Tina Mukherjee, Lolitika Mandal, Cory J. Evans, Sergey A. Sinenko, Julian A. Martinez-Agosto, Utpal Banerjee. Interaction between Differentiating Cell- and Niche-Derived Signals in Hematopoietic Progenitor Maintenance. Cell, 2011; 147 (7): 1589 DOI: 10.1016/j.cell.2011.11.041

Need to cite this story in your essay, paper, or report? Use one of the following formats:

- APA University of California - Los Angeles Health Sciences (2012, January 9). Maintaining balance: Blood progenitor cells receive signals from niche cells and the daughter blood cells they create. ScienceDaily. Retrieved October 1, 2012, from http://www.sciencedaily.com/releases/2011/12/111222133338.htm
- MLA

Note: If no author is given, the source is cited instead.

Disclaimer: This article is not intended to provide medical advice, diagnosis or treatment. Views expressed here do not necessarily reflect those of ScienceDaily or its staff.

Search ScienceDaily

Number of stories in archives: 124,876

Find with keyword(s): [input] Search

Enter a keyword or phrase to search ScienceDaily's archives for related news topics, the latest news stories, reference articles, science videos, images, and books.

Granddaddy Of Human Blood Cells Identified (Dec. 13, 2007) — Researchers have isolated a human blood cell that represents the great-grandparent of all the cells of the blood, a finding that could lead to new treatments for blood cancers and other blood ... > read more

Ads by Google

Become a Social Worker — With an Online Master's from USC. No Relocating Required. Learn More! ... > msw.USC.edu/Virtual-Academic-Center

Exercise Your Brain — Games You Didn't Know Existed to Fight Brain Decline and Aging. ... > www.lumosity.com

Alternative Energy — BP is investing in business and technology to deliver clean energy. ... > www.bp.com/energymix

New Stem Cell Treatment — Breakthrough Therapy Defeating Devastating Diseases. Available Now ... > stemcellofamerica.com/StemCell

Foods to NEVER Eat — Beware of these foods that are making you gain weight. ... > EatHealthySecrets.com

In Other News ...

- WTO chief acknowledges failings, prods US to show leadership
- Exclusive: Spain ready for bailout, Germany signals "wait"- sources
- White House targeted in cyber attack
- Medvedev points Facebook's Zuckerberg towards Russian IT sector
- End of payroll, Bush tax cuts top "fiscal cliff" fears: study
- Bermanke tackles critics of Fed's growth push
- Analysis: Obama, Netanyahu got what they hoped for at U.N. meeting
- Russia bans controversial anti-Islam video
- more top news

Copyright Reuters 2008. See Restrictions.

Free Subscriptions ... from ScienceDaily

Get the latest science news with our free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

- Email Newsletters
- RSS Newsfeeds

Feedback ... we want to hear from you!

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

Your Name: [input]
Your Email: [input]
Comments: [input]

Click button to submit feedback: [Send It]

- Save
- Email
- Print
- Share

10/1/12
10/1/12
Blotting progenitor cells receive signals from niche cells and the daughter blood cell...

[About ScienceDaily®](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute News](#) | [Advertise With Us](#) | [Privacy Policy](#) | [Terms of Use](#)

Copyright © 1995-2012 ScienceDaily LLC — All rights reserved — Contact: editor@sciencedaily.com

Note: This web site is not intended to provide medical advice, diagnosis or treatment.

Part of the iVillage Your Total Health Network